



# PANAGET

*The finest French wood floors*

# Our product line

Our wooden floors are known to be long-lasting and versatile around the home, with many options for design and style. Our oak wood flooring collection is certified 100% French oak and therefore offers superior mechanical properties, high density, incredible industrial adaptability and the best consistency. In other words, there is no better choice.



- **French oak top layer:** 3.4mm to 4.5mm net
- **Core:** poplar or Baltic birch plywood
- **Counterbalance:** wood veneer



**CLASSIC** (SELECT)

Our Classic grade is a very strict and select grade and comes from the heart of the tree. Our wood top layers are carefully sorted to feature very few little knots, if any knots, and these will be of minimal size and a very uniform color.



**AUTHENTIC** (LIGHT RUSTIC)

Our light rustic grade or common grade strikes a happy medium between uniformity and added character. The wood used within our Authentic grade still has striations, small and medium size knots and some color variation. The color of the filler is carefully selected to complement the wood.



**ZENITUDE** (RUSTIC)

Will include both heartwood and sapwood and allows a wider range of color variation. Knots are larger and proportional to the width of the plank. The color of the filler is carefully selected to complement the wood.

Zenitude is available in another surface aspect: Zenitude-Origine [characterized by aged bevels].



## EXTRA MATT OR SATIN URETHANE:



Our wood flooring receive five to seven coats of Ecostrong UV-cured urethane during the production process. Our high-quality state-of-the-art urethanes incorporate corundum particles which ensure effective protection against all the common damages: abrasion, scratches, stains, etc. Our hardwearing urethane finish looks great, invisible and is the easiest to maintain.



## OIL:

Panaget oiled wood flooring receive several coats of UV-cured oil during the production process. This finish brings out the beauty of the wood and gives it a natural look while protecting it thoroughly. This type of finish needs to be regularly maintained. After installation, apply a thin coat of recommended maintenance oil.

Regardless of the color you choose, maintaining your oiled wood flooring is very simple. All you need to do is vacuum up dust regularly. Any moisture should be wiped up immediately to prevent any absorption by the wood. Never pour water onto your hardwood flooring, however you may use a damp cloth if necessary. Oiled wood floors call for a little more care, therefore we recommend to apply a coat of maintenance oil regularly to preserve the intact surface over the long term.

See our maintenance guide at

[www.panaget.com](http://www.panaget.com)



# Timeless natural hues

IF YOU LOOK FOR A MODERN CLASSIC ATMOSPHERE OR A VERSATILE COLOR THAT WILL BLEND IN WITH YOUR FURNITURE, OUR TIMELESS NATURAL HUES COLLECTION IS MADE FOR YOU!



## BOIS FLOTTÉ

Urethane driftwood aspect brushed matt (invisible look)



## BOIS NATUREL OIL

Oiled driftwood aspect brushed



## SATIN

Urethane unbrushed satin



## TOPAZE

Urethane brushed matt



## NATURAL OIL

Oiled natural brushed matt




## MIEL

Urethane natural brushed matt



## AMANDE

Oiled natural brushed, slightly ceruse



## SABLE

Oiled natural brushed, white patina matt



Bois flotté



French oak | Classic | Bois flotté | Diva 223 - 8½"




STOCK





Bois flotté

French oak | Authentic | Bois flotté | Diva 223 - 8 1/2"  STOCK





Bois flotté



French oak | Authentic | Bois flotté | Herringbone 139 - 5 1/2"



STOCK







Bois flotté

French oak | Zenitude | Bois flotté | Diva 184 - 7 1/2"   
STOCK





Bois naturel oil

👉 French oak | Zenitude | Bois naturel oil | Diva 184 - 7½"







Satin


 French oak | Classic | Satin | Chevron 90 - 3½"







Topaze

French oak | Classic | Topaze | Diva 184 - 7½"   
STOCK







● French oak | Classic | Topaze | Chevron 90 - 3½"





Topaze

🕒 French oak | Authentic | Topaze | Diva 223 - 8 1/2"





Natural oil



French oak | Zenitude | Natural oil | Diva 184 - 7 1/2"



STOCK







Miel

French oak | Authentic | Miel | Diva 184 - 7 1/2"  STOCK






Miel

● French oak | Zenitude | Miel | Chevcon 139 - 5½"



● French oak | Zenitude | Miel | Herringbone 139 - 5½"






*Amande*



French oak | Zenitude | Amande | Diva 184 - 7½"





# Sable

🔹 French oak | Authentic | Sable | Chevron 139 - 5 1/2"






Sable

French oak | Authentic | Sable | Diva 223 - 8 3/4"





# Sable

🔹 French oak | Zenitude | Sable | Diva 184 - 7 1/2"  STOCK





# Daylight whites

OUR DAYLIGHT WHITES COLLECTION BRINGS A REFRESHING AND COOL TOUCH IN HOT ENVIRONMENTS.  
IT IS AN EXCELLENT BACKDROP FOR DISPLAYING ARTWORK.



## SAPHIR

Urethane white  
brushed matt



## LINEN

Urethane, brushed  
light white matt



## TUFEAU

Oiled chalk-tone  
brushed matt



French oak | Classic | Saphir | Diva 223 - 8 1/2"




STOCK





Saphir

● French oak | Authentic | Saphir | Diva 184 - 7½"  STOCK





*Linen*

● French oak | Zenitude | Linen | Diva 184 - 7½"





# Tufeau

French oak | Zenitude | Tufeau | Diva 184 - 7½"







Tufeau

🔹 French oak | Zenitude | Tufeau | Chevron 90 - 3½"




# Subtle greys

OUR SUBTLE GREYS COLLECTION OF AGED AND MINERAL GREYS AND GREY-BROWNS ADDS A UNIQUE ELEMENT TO BOTH TRADITIONAL AND CONTEMPORARY INTERIORS. IT WILL BE IDEAL TO PERSONALIZE YOUR HOME.



## CAFÉ CRÈME

Urethane coffee latte brushed mat



## RAFIA

Oiled raffia-tone brushed mat



## FLANELLE

Oiled grey-brown tone brushed mat




French oak | Classic | Café crème | Diva 223 - 8½"



STOCK






# Café Crème

French oak | Authentic | Café crème | Chevron 139 - 5½"






Rafia

🔹 French oak | Zenitude | Rafia | Diva 184 - 7½"  STOCK






Flanelle

French oak | Zenitude | Flanelle | Diva 184 - 7½"  STOCK



# Elegant browns

OUR ELEGANT BROWN COLORS ARE PERFECT FOR THOSE LOOKING FOR A GROUNDING, COSY, EARTHY NEUTRAL LOOK AND TO BRING WARMTH TO INTERIORS.



## ARGILE

Urethane brushed matt  
earth-tone



## CUIR

Oiled old  
leather-tone  
brushed matt



## FAUVE

Urethane brushed,  
brown satin



## TOURBE

Oiled dark  
brown-tone  
brushed matt



French oak | Authentic | Argile | Diva 223 - 8 1/2"



STOCK





Argile


French oak | Zenitude | Argile | Diva 184 - 7 1/2"








*Cuir*

French oak | Authentic | Cuir | Diva 184 - 7½"  STOCK





*Fauve*

☀ French oak | Zenitude | Fauve | Diva 184 - 7½"





# Tourbe




French oak | Zenitude | Tourbe | Diva 184 - 7½"



STOCK








# 100% MANUFACTURED IN FRANCE SINCE 1929

Panaget is the first manufacturer of engineered hardwood flooring in France. With two high performance plants, Panaget handles the whole production process from the drying of the green wood to the finishing of the planks.

Our hardwood floors are made with non-toxic adhesives and finishes and comply with the French A+ Certification that tests and guarantees that our products meet emissions requirements for a safe indoor environment.


Today, 100% of all oak raw materials used in production are sustainably harvested from French forests, that have extensive reforestation programs such as the PEFC schemes.



PRODUCTION UNITS  
(BOURGBARRÉ AND REDON)

## DID YOU KNOW?

Oak, the most widespread species in our territory, covers 9.3 million acres encompassing 22% of the total surface of the French forest (17 M ha).



### 0-10 YEARS

Protect young shoots and help them grow.



### 10-20 YEARS

Promote the growth of trees by removing the most poorly shaped to allow the remaining trees to flourish.



### 20-50 YEARS

Continue the selection work for the benefit of the most beautiful trees.



### 50-100 YEARS AND MORE

The trees are harvested, a new generation settles naturally or by planting.

## FRENCH WHITE OAK

Long-term partners:  
40 sawmills located  
from Normandy to Burgundy  
[wine area].



An American subsidiary:  
**Panaget USA Inc**



# Technical characteristics



	<b>DIVA 184</b> WIDTH 7½"	<b>DIVA 223</b> WIDTH 8½"	<b>HERRINGBONE 139</b> WIDTH 5½"	<b>CHEVRON 90</b> WIDTH 3½"	<b>CHEVRON 139</b> WIDTH 5½"
	Engineered extra-wide single plank	Engineered extra-wide single plank	Engineered single plank, herringbone pattern	Engineered single plank, chevron pattern	Engineered single plank, chevron pattern
LENGTHS	Random from 19" to 78" (500 to 2000mm)	78" (2000mm)	31" (800mm)	19" (500mm)	25" (650mm) Point to point length: 31" (789mm)
WIDTH	7½" (184mm)	8½" (223mm)	5½" (139mm)	3½" (90mm)	5½" (139mm)
THICKNESS	9/16" (14mm)	5/8" (15mm)	9/16" (14mm) - Walnut: 1/2" (13mm)	9/16" (14mm)	9/16" (14mm)
FRENCH OAK WEAR LAYER	4mm nominal, 3.4mm net	5mm nominal, 4.5mm net	4mm nominal, 3.4mm net Walnut: 3mm nominal, 2.5mm net	4mm nominal, 3.4mm net	4mm nominal, 3.4mm net
CORE	Poplar plywood	Baltic birch plywood	Poplar plywood	Poplar plywood	Poplar plywood
BEVEL TYPE	4 micro-bevels (Argite 2 micro-bevels on long edges)	2 micro-bevels	4 micro-bevels (Zenitude-Origine: 4 with 2 aged bevels on long edges)	4 micro-bevels	4 micro-bevels
	Glued down with polymer glue, nailed or floating installation	Glued down with polymer glue, nailed or floating installation	Glued down with polymer glue, nailed or floating installation	Glued down with polymer glue, nailed or floating installation	Glued down with polymer glue, nailed or floating installation
	Compatible with low temperature radiant heat	Compatible with low temperature radiant heat	Compatible with low temperature radiant heat	Compatible with low temperature radiant heat	Compatible with low temperature radiant heat
	27 references - 18 finishes	7 references - 6 finishes	5 references - 5 finishes	4 references - 4 finishes	4 references - 4 finishes

Our Zenitude grade is also available in :  
**Zenitude-Origine**, characterized by two aged bevels on the lengths.




# Our collection


	BOIS FLOTTÉ	BOIS NATUREL OIL	SATIN	TOPAZE	NATURAL OIL	MIEL	AMANDE	SABLE	SAPHIR	LINEN	TUFEAU	CAFÉ CRÈME	RAFIA	FLANELLE	ARGILE	CUIR	FAUVE	TOURBE
<b>CLASSIC</b> (SELECT)	DIVA 184 DIVA 223		DIVA 184 - CH 90	DIVA 184 - CH 90					DIVA 223		DIVA 184 DIVA 223							
<b>AUTHENTIC</b> (LIGHT RUSTIC)	DIVA 184 DIVA 223 - HB 139 - CH 90 CH 139		DIVA 184 DIVA 223 - HB 139		DIVA 184			DIVA 223 - CH 139	DIVA 184		CH 139			DIVA 223	DIVA 184			
<b>ZENITUDE</b> (RUSTIC)	DIVA 184	DIVA 184		DIVA 184	DIVA 184	HB 139 - CH 139	DIVA 184	DIVA 184		DIVA 184	DIVA 184 - CH 90	DIVA 184	DIVA 184	DIVA 184	DIVA 184		DIVA 184	DIVA 184
<b>ZENITUDE</b> ORIGINE (AGED BEVELS)								DIVA 184			DIVA 184 - HB 139			HB 139		DIVA 184		DIVA 184

CH : Chevcon


HB : Heccingbone

 Extra-matt ucethane


 Oil

 Satin ucethane





SCAN THIS QR CODE  
AND VISUALIZE  
OUR WOOD FLOORING  
IN YOUR INTERIOR



## BIM CONTENT

BUILDING INFORMATION MODELING  
- WHERE DESIGN COMES TO LIFE -


REVIT TOOL PROVIDES A SIMPLE WAY OF ORGANIZING,  
FINDING AND USING THE WHOLE RANGE OF REVIT (AUTODESK) OBJECT.

[www.panaget.com/en/professional-advice-and-services](http://www.panaget.com/en/professional-advice-and-services)



PANAGET  
3 rue d'Orgères  
35230 BOURGBARRÉ - France  
Pierreick DISPANS  
Mobile: +1 908 494 8801

[www.panaget.com](http://www.panaget.com)



Emissions of volatile substances which could be toxic if inhaled. These are rated on a scale from A+ (very low) to C (high).

